

712CD

75TH MORSS CD Cover Page

If you would like your presentation included in the 75th MORSS Final Report CD it must:

- Be unclassified, approved for public release, distribution unlimited, and is exempt from U.S. export licensing and other export approvals including the International Traffic in Arms Regulations (22CFR120 et seg.);
- 2. Include MORS Form 712CD as the first page of the presentation;
- 3. Have an approved MORS form 712 A/B and
- Be turned into the MORS office no later than: DEADLINE: 14 June 2007 (Late submissions will not be included.)

<u>Author Request</u> (To be completed by applicant). The following author(s) request authority to disclose the following presentation in the MORSS Final Report, for inclusion on the MORSS CD and/or posting on the MORS web site.

Name of Principal Author and all other author(s):

Paul J. Bross, Richard O. Madson

Principal Author's Organization and address:

Lockheed Martin Corporation

Center for Innovation

7021 Harbour Mew Blvd., Suite 105

Suffolk, VA23435

Phone: 757-935-9504

Fax: 757-935-9563

Email: paul.bross@mco.com

Please use the same title listed on the 75th MORSS Disclosure Form 712 A/B. If the title of the presentation has changed please list both.)

Original title on 712 A/B:

An Experiment in Theater Sustainment using the Joint Analysis System.

If the title was revised please list the original title above and the revised title here:

PRESENTED IN:

WORKING GROUP:	18, 19, 33	DEMONSTRATION:	
COMPOSITE GROUP:		POSTER:	
SPECIAL SESSION 1:		TUTORIAL:	
SPECIAL SESSION 2:		OTHER:	
SPECIAL SESSION 3:			

This presentation is believed to be: Unclassified, approved for public release, distribution unlimited, and is exempt from U.S. export licensing and other export approvals including the International Traffic in Arms Regulations (22CFR120 et seq.)



CENTER FOR INNOVATION

maintaining the data needed, and of including suggestions for reducing	llection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar OMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate mation Operations and Reports	or any other aspect of the , 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE 01 JUN 2007		2. REPORT TYPE N/A		3. DATES COVERED -			
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER					
An Experiment in	Theater Sustainmen	nalysis System	5b. GRANT NUMBER				
					5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER				
			5e. TASK NUMBER				
		5f. WORK UNIT NUMBER					
	zation name(s) and ac C orporation Suffolk	` '		8. PERFORMING REPORT NUMB	G ORGANIZATION ER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)			
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release, distributi	on unlimited					
	OTES 26. Military Operat 12-14, 2007, The or				Annapolis,		
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF	18. NUMBER	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	- ABSTRACT UU	OF PAGES 29	RESPONSIBLE PERSON		

Report Documentation Page

Form Approved OMB No. 0704-0188



CENTER FOR INNOVATION





An Experiment in Theater Sustainment using the Joint Analysis System (U)

Paul J. Bross
Center for Innovation

Richard Madson L&MR LMIC - IS&GS



Logistics and Material Readiness (L&MR) Project Overview


#

- L&MR LMIC tasked to develop the integrated architecture for DoD logistics
- Mobility workshops were conducted to scope effort
 - Resulting focus: Theater Transportation and Distribution
- Value Engineering sessions conducted to confirm validity of focus
- Operational DoD Architecture Framework views developed
- Operational analysis of the architecture using JAS (was JWARS)
 - Increment 0 "Proof of Principle"
 - Series of discovery experiments to determine the capability of JAS to address Logistics and Materiel Readiness (LMR) issues.
 - Issues include both operational outcome effects and lower-level metrics focused specifically on logistics functions.
 - Data generated by JAS output not study quality, however may be used to shape subsequent studies.

OMEGA® Engineering Framework Competencies




CENTER FOR INNOVATION



each level of Capability Based

Assessment

ONEGA® Engineering Framework Tailored for Capability Based Assessment (CBA) of L&MR



LMR LMIC Project Overview



CENTER FOR INNOVATION


Area of Interest: Agile Sustainment with focus on the seams between strategic delivery into theater and transfer of materiel and supplies to the end user

Distribution Operational View OV-1

Forward Base THEATER DISTRIBUTION **Forward Base** Sustainment Ops **Forward Base Forward Base** UA I CONUS Theater Sustainmen **DMC** J/CDMC AMC/DLA SBCT BCT FACTORY **FSB BSB** UEx J/CDMC SBCT **UEx: Division-level C2 Element BSB** Brigad **UA: Brigade-level C2 Element** DMC: Distribution Management Center JCDMC: Joint/Coalition DMC

Joint Data Support (JDS) Assessment





Joint Analysis System (JAS)



- A high-fidelity Campaign wargame simulation
 - sponsored by the JFCOM Joint Forces Command (J9)
 - jointly developed by CACI, Inc. and PROSOFT
- Intended to provide high fidelity to all forms of battle
 - I and
 - Air
 - Sea
 - Undersea
 - Space, not at high fidelity

- Amphibious
- Airborne
- Chemical warfare
- TBM / TBM defense
- Special Operations




- Strong emphasis on Transportation & Logistics
 - Strategic Mobility and Intra-Theater Logistics
- An agent-based simulation
- Platforms:
 - PC-based application, with either a PC- or Sun-based Oracle server.
 - Can export data to Excel, Access, or XML.
 - Usually runs on a DoD SECRET system, scenario / data classified. Can run Unclassified.
- JAS continues to evolve
 - Current version is "Release 2.0"

JAS - Fully Integrated from Fort to Foxhole








C4ISR-centric, Joint Campaign-Level Model with Integrated Strategic Mobility,
Theater Logistics, and Joint Warfighting

Each Functional Area ...



Consists of:

□ Planning

- · User Inputted rules or events
- Decision logic implemented in code

□ Execution

- Controlled via C2 logic / rules
- Includes Movement / Maneuver / Combat

□ Adjudication

 Results of interactions, e.g. kills and detections

Note: TPFDD = Time-Phased Force Deployment Data

JAS Transportation and Logistics



CENTER FOR INNOVATION


Inter-theater transportation (Strategic Mobility)

- From Continental US to another region Point of Debarkation (APOD, SPOD)
- Input Time-Phased Force Deployment Data (TPFDD) defines transportation requirement

UNITED KINGDOM **Notional Air Notional Sea Route** Route

Intra-theater transportation

 Theater Point of Debarkation (POD) to Tactical Assembly Area (TAA) location



JAS Transportation and Logistics



CENTER FOR INNOVATION

- JAS requires a very detailed transportation and logistics plan for the scenario
 - For each unit, scenario must specify when, where, and how it will arrive in the theater
 - JAS models the capabilities of each seaport, aircraft, road, etc.

-Chemical attacks on ports

Inter-theater transportation

ransportation Intra-theater transportation

- Planning: Strategic Mobility Order of Battle Required delivery Loading of ships dates **Deployment** Loading of aircraft Sealift ships Flow Routes CRAF aircraft **Departure Times** Scheduler Airlift aircraft Arrival times No-fly zones Canal Status Ports/Installations -Adjudication -Execution - Pauses for SLOC -Mine Fields Closure -Ship Interdiction - No-fly zones -Arrival at ports -Unloading

- Planning: Intra-theater Logistics Admin Move Orders Commander's Inputs •Generic to specific •Installation requests Theater items conversion POD to destination Scheduler Shipment orders shipping requirements Sustainment stockpiles Network status -Execution -Adjudication -Resource attrition - Supply requests - Conversion of generic items due to attacks - Distribution systems operated - Inventory levels by component commander Movement on network



Design Memo - Increment 0 "Proof of Principle"



CENTER FOR INNOVATION

Design Memo for OA Modeling of Joint Deployment and Distribution Enterprise (JDDE) with JAS

Increment 0 – Proof of Principle

- Series of discovery experiments to determine the capability of JAS to address Logistics and Materiel Readiness (LMR) issues.
- Issues include both operational outcome effects and lower-level metrics focused specifically on logistics functions.
- Data generated by JAS output not study quality, however may be used to shape subsequent studies.
- Base Case scenario is derived from a US Joint Forces Command (JFCOM)
 scenario based on the Unified Quest series.

Increment 0 - Study Variables



CENTER FOR INNOVATION

Operational Dependent Variables:

- Time to Achieve Objective
- Time spent inactive due to supply shortage
- Time to gain Air Superiority
- Percent sorties not flown due to logistics
- Time SLOC last opened and not closed again by Red forces
- Percent of time SLOC is open
- Percent of TBMD launches leaking through defenses
- Loss Exchange Ratio (LER)

Control Variables (constant during Inc0):

- Time to load, unload, process
- Command and control structure for logistics planning
- Command and control structure for lift asset management
- All other JAS factors, including weather, terrain, *etc.*

Logistical Dependent Variables:

- Available Days of Supply
- Lift capacity shortfalls
- Total number of supply requests delivered by common user assets
- Percent of lift assets used per day per task force

Independent Variables

- Days of Supplies: Class III Fuel, Class V Ammo, and Bulk Cargo all other classes (food, medical, maintenance, ...)
 - UD: number of Unit Days of Supply to be held by operating BSEs and Brigade-level headquarters elements
 - SD: number of Days of Supply to be held by SSAs and other logistics echelons rearward of operating Brigades

Quantity of Transport Assets

- AT: number of Air Transport assets available for intra-theater transportation
- GT: number of Ground Transport assets available for intra-theater transportation

Quality of Transport Assets

- JH: mix of intra-theater aircraft representing C130J or C130H lift capacity
- FT: mix of ground intra-theater trucks representing the future truck system or the existing fleet

Design Memo - Phased Approach



CENTER FOR INNOVATION

Phase I: Develop the study base case scenario

- Complete the orders and routing inputs necessary to implement the remainder of the campaign after the Air Superiority phase.
- Establish and document the base case set of control variable settings.

Phase II: Initial Discovery Runs

Begin with all values set at the base case levels. Using the UD variable as an example the process is expected to proceed as follows:

- Assume the base case value for UD is 15 Days of Supply (DOS)
- Run 5 replications of UD = 15
- Generate two variations above base case ⇒ UD = 20, 25 and run
 5 replications each
- Generate two variations below base case ⇒ UD = 5, 10 and run 5 replications each
- For each UD setting for each individual replication (1-5), calculate the Dependent Variables and the mean of each.
- Plot the results
- Based on the timing considerations previously noted it is expected that completing the initial set of calculations for variables UD, SD, AT, and GT will take approximately one month unless we have greater access to the lab facilities and that there are no problems encountered during the JWARS runs.

Phase III: Force Mix Discovery Runs

Based on Phase II results:

- Determine the mixture of settings to use for the comparisons of the C130J vs. C130H and the Future truck system vs. the legacy trucks.
- Determine whether to conduct as two separate pair-wise comparisons (aircraft/trucks only) or a factorial experiment with all combinations represented in a formal full factorial design.

L&MR OA JAS Increment 0 Modeling Process & Schedule



Runs

Analysis

Report

Increment 0 Report

Execution Schedule


Entry

Design & Setup

CENTER FOR INNOVATION

Tools to Support Analysis:

- JAS Campaign analysis model
- Hyperion Intelligence tool (BRIO) Data gathering and analysis tool used during the Design and Setup, Analysis, and Report generation phases
- Design-Ease Statistical package and experimental design analysis




Integrated COTs Tools & Customer Tool Set




JAS Scenario Browser






JAS Battle Space Entity (BSE) - Assets





JAS Consumption Sustainment Guidance





BRIO Query Process



CENTER FOR INNOVATION

Instrument Queries

BRIO Query of Instrument Data

Data Results

File Edit View Insert Forma

TARGET SIDE Random Seed LMR LER Categ

CARGO VEHICI

CARGO VEHIC

FIGHTING VEH

Start WARS Launcher


HELO

D = = = D

Pivot Table of BRIO Query Results

Computational Results

Computational Results of BRIO Query





Graphic Presentation of BRIO Query_ Metric Generation




CENTER FOR INNOVATION

Vehicle-Missions by Type

Cargo Movement by Type

Cargo/Vehicle-Mission Rate


tation of BRIO Query Results



B-UD05-S04 Data


Design of Experiments (DoE) Statistical Package (Design Ease Ver-6)






Loss Exchange Ratio (LER) of Troop Losses By Unit Distribution (UD)






Loss Exchange Ratio (LER) of Troop Losses By SSA Distribution (SD)



Loss Exchange Ratio (LER) of Troop Losses By Air Transport Variations (AT)






Loss Exchange Ratio (LER) of Troop Losses By Ground Transport Variations (GT)——







Summary of Metrics



Metric Name	Description	Status C-Complete P-Partial	Comments	Associated JWARS Instrument(s)
		N-Not Able		
Total Lift Assets Available by Type	Ву Туре	С	Common User and C-130J	Air Unit Status Report
3 31	By Mode	С	Air and Ground (sperate queries for air and ground)	TLT CU Unit Vehicle Inv
Total Lift Capacity Available	Ву Туре	С	Common User and C-130J	Air Unit Status Report
	By User	С	Air and Ground (sperate queries for air and ground)	TLT CU Unit Vehicle Inv
Total Number of Requests	Ву Туре	С		TLT Req Sust Sngl Ship
	1			
Percent of lift assets utilized	Per day	Р	Cargo to Vehicle Ratio and number of trucks per mission	TLT Road Trans Creation
	Per campaign	Р	could not connect inventory with usage to get percentage	TLT Road Trans Content
				TLT Road Trans Departure
			TI: 1 5 161 1 1 500 6 11	Invado I I o II o II
Starting Days of Supply (DOS) at:	Combat Units	C	This is an Excel file showing DOS for all scenarios	JWARS: Land Consumption Sustainment
	SPOD/APOD	С		Command Guidance
	Installations	С		
	SSA	С		
Days of Supply (DOS) at:	Combat Units	С	This is an Excel file showing DOS for all scenarios	JWARS: Land Consumption Sustainment
Days of Supply (DOS) at.	SPOD/APOD	C	This is all excernie showing DOS for all scenarios	Command Guidance
	Installations	C		Command Guidance
	SSA	C		
	SSA	C		
Lift Capacity Shortfalls	Planes	C	Returns cargo not delivered by air and ground	TLT Cu Cargo Dlvy Shrtfl
Ent Supucity Shortiums	Trucks	C	returns earge not delivered by all and ground	TLTA Trans Cgo Not Loaded
	TTUCKS			TETA Trans ego Not Loaded
LER Ground	Direct Fire	C	Direct Fire adjudication	ADJ Direct Fire KVS
22.1 3.34.14	Indirect Fire	C	Indirect Fire adjudication	ADJ indirect Fire KVS
	Air to Ground	C	Air to Ground Fire adjudication	ADJ A2G Fire KVS
LER Air	Air to Air	С	Air to Air (only for UD scenarios)	Air ATO Gen, Air ATO Exec Order Sch
	Surface to Air	C	Surface to Air (only for UD Scenarios)	ADJ S2A KVS, Adj A2A KVS
	•		, ,	
TBM Percent Leakage	TBM Launched	С	Brio query has data for TBM Launch and Leak	TBM MSL launch
	TBM Leaked	С	Excel File has percentage (only C-130 and Baseline scenarios	Tbm Leaker
	•			
Time to Objective	Ground Units	С	Time it took TF Longstreet to reach each of its three objectives	JWARS video playback
· ·	•		· · · · · · · · · · · · · · · · · · ·	•

Analysis of Increment 0 Metrics



CENTER FOR INNOVATION

Plase II

Phase III

Metrics	Days of Supply		Baselin	Quantity		Quality
	UD	SD		GT	AT	C-130
Total Ground Lift Assets Available by Type	Х	Х	Х	Х	Х	Х
Total Air Lift Capacity Available	Х	Χ	Х	Х	Х	Х
Total Number of Requests	Х	Χ	Х	Х	Х	Х
Cargo to Vehicle Ratio	Х	Χ	Х	Х	Х	
Days of Supply (DOS) at:	Х	Χ	Х	Х	Х	Х
Lift Capacity Shortfalls	Х	Χ	Х	Х	Х	Х
LER Ground	Х	Χ	Х	Х	Х	Х
LER Air	Х		Х			
Time to Objective	Х		Х			
TBM Percent Leakage			Х			Х

Depth and Breadth in Analysis

Operational Analysis Lessons Learned



- Proof of Principle
 - Not study quality data
 - Demonstrated relative comparisons vice absolute results
- Pre-determined successful baseline "seeds" not always successful with variations/changes
- Used JAS Release 1.6-SR2.15-RCS, did not transition to JAS Release 2.0
- Focused scenario to generate potential logistic opportunities
- Setup to ensure logistics plays reasonably
- Limited air routes did not provide significant pulsing of Quality of Intra-Theater Air Transports activity
- DOE requires scheduling of computing assets for production runs
 - 5 reps w/ 5 conditions for 5 combination »»» 125 runs
 - BRIO export required scheduling considerations
 - Multi-processing capability was essential

JAS Enhancement Items



CENTER FOR INNOVATION

<u>Desired JAS Logistics Enhancements / Refinements</u>

- 1. Capability to use different load/unload times for cargo carrying assets such as trucks at different echelons. For example, Army 5-ton trucks carrying materials from Division to Brigade to have different loading parameters than the same asset moving cargo from Brigade to Battalion. This might also be satisfied with a "transfer" variable at the echelon without affecting the asset data.
- 2. Capability for inter-theater response to sustainment requests without having to go through a preplanned TPFDD.
- 3. Capability to integrate inter- and intra-theater transportation and logistics planning. For example, a sensitive munition being brought straight from CONUS to the requestor where the APOD/SPOD is chosen with a view to available assets in theater for the onward movement of the shipment or shipped direct to the requesting BSE.
- 4. Expand the Land Sustainment visibility to all classes of supply instead of just Class III and Class V.
- 5. Permit replacement of Class VII pacing items.
- 6. Add an abstract maintenance capability by a mean-time-to-repair function to permit rough repair of damage.
- 7. Break casualty data into Item level bins such as damaged/killed and people into wounded/killed.
- 8. Permit the creation and repair of infrastructure (such as bridges, port berths, *etc.*) during the play of the game. In the case of "new" installations, have them properly recognized for arc/node and other calculations. [This may mean having to "reinitialize" some environmental parameters during a run.]
- 9. Capability to have cargo re-directed while in transit based on user priorities.
- 10. Capability to reconstitute units. [May be a blend of repair/replace]

Conclusions and Recommendations



- Demonstrated the OMEGA® framework and DoD provided tools (JAS) can be used collaboratively to evaluate logistics enterprise architecture alternatives
 - Modifications to the DoDAF schema & JAS descriptions were required to model and perform operational driven assessment of the JDDE architecture (JIC)
- Although JAS fell short in several areas, the team recommends using OMEGA® & JAS for modeling and simulation of the proposed JDDE Architectures
 - Identified shortfalls and recommend JAS modifications
 - Explore federating JAS with other models for work-arounds
 - Input M&S determined MOO & MOE into OMEGA®'s Value Model to "grade" JDDE alternatives
- Working with JFP LMIC and JAS Program Office to develop logistic enhancements in support of Experimentation
- Recommend follow-on analysis activities